














Trex Elevations®

COMPONENT	DESCRIPTION	ITEM NUMBER
FRAMING COMPONENTS		
<p>Track</p> <p><i>Actual dimensions:</i> 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)</p> 	<p>1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track</p>	<p>CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60</p>
<p>Beam</p> <p><i>Actual dimensions:</i> 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)</p> 	<p>2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam</p>	<p>CG020812EB20 CG020816EB20 CG020820EB20</p>
<p>Joist</p> <p><i>Actual dimensions:</i> 1.625 in x 8 in x 12 ft / 16 ft / 20 ft (41 mm x 203 mm x 365 cm / 487 cm / 609 cm) Additional lengths are available by special order.</p> 	<p>1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist</p>	<p>CG020812EJ50 CG020816EJ50 CG020820EJ50</p>
<p>Beam End Cap</p> <p><i>Actual dimensions:</i> 2.125 in x 8.125 in (53 mm x 206 mm)</p> 	<p>2.125 in x 8.125 in—Beam End Cap (40/box)</p>	<p>ELVENDCAP40</p>
<p>Adjustable Mid-Span Block</p> <p><i>Actual dimensions:</i> 4 in x 9.875 in (101 mm x 250 mm)</p> 	<p>4 in x 9.875 in (10 sets)</p>	<p>ELVMIDSPANBLOCK</p>
<p>Adjustable Beam Block</p> <p><i>Actual dimensions:</i> 5 in x 9.875 in (127 mm x 250 mm)</p> 	<p>5 in x 9.875 in (10 sets)</p>	<p>ELVBEAMBLOCK</p>
<p>Deck Support Post</p> <p><i>Actual dimensions:</i> 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)</p> 	<p>3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post</p>	<p>www.trexdeckpost.com</p>
<p>Trex Elevations® Universal Connector Clip (glass-filled nylon with stainless steel screw)</p> 	<p>50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket</p>	<p>ELVUNIVCLIP ELVUNIVCLIPPAIL</p>
<p>Trex Elevations® Start Clip (stainless steel with stainless steel screw)</p> 	<p>400 sq. ft (37.2 sq. m) bag</p>	<p>ELVSTARTCLIP</p>
<p>Trex Elevations®-Approved Spray Paint Net weight 12 oz.</p> 	<p>Available in Elevations grey only.</p>	<p>1-800-966-7580</p>
RAILING COMPONENTS (for use with Trex Elevations)		
<p>Joist Mount Post with Cap & Skirt</p> <p><i>Actual dimensions:</i> 2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm)</p> 	<p>2.5 in x 2.5 in x 63 in</p>	<p>XXJMNTPOST63</p>
<p>Trex Elevations® Rail Post Blocking</p> 	<p>10/box</p>	<p>ELVRAILPOSTBLOCK</p>
<p>Trex Elevations® Fascia Mount Kit (for use with Elevations steel framing)</p> 	<p>For use with Joist Mount Trex® Signature™ Railing Post only.</p>	<p>XXFMNTELEV</p>

XX = COLOR PREFIX:











BK Charcoal Black

BZ Bronze


WT Classic White

Powder-coated products have a textured finish.

Trex Decking, Porch Flooring & Fascia

PROFILE	DESCRIPTION	ITEM NUMBER	COLORS			
1" Square-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)		1 x 6 x 12'	Transcend Tropicals	XX010612TS01	IM, TT, HG, SR, LR	
		1 x 6 x 16'	Transcend Tropicals	XX010616TS01		
		1 x 6 x 20'	Transcend Tropicals	XX010620TS01		
			1 x 6 x 12'	Transcend Earth Tones	XX010612T2S01	GP, RS, TH, VL, FP
		1 x 6 x 16'	Transcend Earth Tones	XX010616T2S01		
		1 x 6 x 20'	Transcend Earth Tones	XX010620T2S01		
			1 x 6 x 12'	Enhance	XX010612E2S01	FW, RH, TS, CB, SC, CS, BD, SD
		1 x 6 x 16'	Enhance	XX010616E2S01		
		1 x 6 x 20'	Enhance	XX010620E2S01		
			7/8 x 6 x 12'	Select	XX010612SS01	PG, WG, SD, WB, MB
		7/8 x 6 x 16'	Select	XX010616SS01		
		7/8 x 6 x 20'	Select	XX010620SS01		
1" Grooved-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)		1 x 6 x 12'	Transcend Tropicals	XX010612TG01	IM, TT, HG, SR, LR	
		1 x 6 x 16'	Transcend Tropicals	XX010616TG01		
		1 x 6 x 20'	Transcend Tropicals	XX010620TG01		
			1 x 6 x 12'	Transcend Earth Tones	XX010612T2G01	GP, RS, TH, VL, FP
		1 x 6 x 16'	Transcend Earth Tones	XX010616T2G01		
		1 x 6 x 20'	Transcend Earth Tones	XX010620T2G01		
			1 x 6 x 12'	Enhance	XX010612E2G01	FW, RH, TS, CB, SC, CS, BD, SD
		1 x 6 x 16'	Enhance	XX010616E2G01		
		1 x 6 x 20'	Enhance	XX010620E2G01		
			7/8 x 6 x 12'	Select	XX010612SG01	PG, WG, SD, WB, MB
		7/8 x 6 x 16'	Select	XX010616SG01		
		7/8 x 6 x 20'	Select	XX010620SG01		
1" Grooved Porch Floor Board <i>Actual dimensions:</i> .94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm) Can also be used for decking applications.		1 x 4.5 x 12'	Transcend Porch	XX010512TP01	SR, GP	
		1 x 4.5 x 16'	Transcend Porch	XX010516TP01		
1" x 8" Fascia <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)		1 x 8 x 12'	Transcend Tropicals	XX010812TS01	IM, TT, HG, SR, LR	
		1 x 8 x 12'	Transcend Earth Tones	XX010812T2S01		
		1 x 8 x 12'	Enhance	XX010812E2S01	GP, RS, TH, VL, FP	
		1 x 8 x 12'	Select	XX010812SS01		
		1 x 8 x 12'	Universal White	WW010812ES01		
		1 x 8 x 12'	Enhance	XX010812E2S01	FW, RH, TS, CB, SC, CS, BD, SD	
		1 x 8 x 12'	Select	XX010812SS01	PG, WG, SD, WB, MB	
		1 x 8 x 12'	Universal White	WW010812ES01	WOOD GRAIN WHITE	
1" x 12" Fascia <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)		1 x 12 x 12'	Transcend Tropicals	XX011212TS01	IM, TT, HG, SR, LR	
		1 x 12 x 12'	Transcend Earth Tones	XX011212T2S01		
		1 x 12 x 12'	Enhance	XX011212E2S01	GP, RS, TH, VL, FP	
		1 x 12 x 12'	Select	XX011212SS01		
		1 x 12 x 12'	Universal White	WW011212ES01		
		1 x 12 x 12'	Enhance	XX011212E2S01	FW, RH, TS, CB, SC, CS, BD, SD	
		1 x 12 x 12'	Select	XX011212SS01	PG, WG, SD, WB, MB	
		1 x 12 x 12'	Universal White	WW011212ES01	WOOD GRAIN WHITE	
2" Square-Edge Board <i>Actual dimensions:</i> Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)		2 x 4 x 16'	Transcend Tropicals	XX020416TS01	IM, TT, HG, SR, LR	
		2 x 6 x 12'	Transcend Tropicals	XX020612TS01		
		2 x 6 x 16'	Transcend Tropicals	XX020616TS01		
			2 x 6 x 20'	Transcend Tropicals	XX020620TS01	IM, TT, HG, SR, LR
		2 x 6 x 12'	Select	XX020612SS01		
		2 x 6 x 16'	Select	XX020616SS01		
		2 x 6 x 20'	Select	XX020620SS01		
		2 x 6 x 12'	Select	XX020612SS01	PG, SD, WB, MB	
		2 x 6 x 16'	Select	XX020616SS01		
		2 x 6 x 20'	Select	XX020620SS01		

XX = COLOR PREFIX:	IM Island Mist	LR Lava Rock	VL Vintage Lantern	SD Saddle	RH Rocky Harbor	CS Clam Shell
	TT Tiki Torch	GP Gravel Path	FP Fire Pit	WB Woodland Brown	TS Toasted Sand	BD Beach Dune
	HG Havana Gold	RS Rope Swing	PG Pebble Grey	MB Madeira	CB Coastal Bluff	SD Saddle
	SR Spiced Rum	TH Tree House	WG Winchester Grey	FW Foggy Wharf	SC Sunset Cove	



RAILING— a lot easier than it looks

Selecting the right railing is pretty easy, but each Trex® railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the left depicts each railing system's components.

TREX POST COMPONENTS

TREX® SIGNATURE™ RAILING

TREX TRANSCEND® RAILING

TREX SELECT® RAILING

Trex Post Sleeves, Caps & Skirts

○ These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve	4" x 4" x 39" Post Sleeve <i>[4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions]</i>	XX040439APS
		4" x 4" x 108" Post Sleeve <i>[4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]</i>	XX0404108APS
		6" x 6" x 39" Post Sleeve <i>[5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions]</i>	WT060639APS
		6" x 6" x 108" Post Sleeve <i>[5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]</i>	WT0606108APS
2a	Post Sleeve Cap	Flat 4" x 4" Post Sleeve Cap Pyramid 4" x 4" Post Sleeve Cap <i>[4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]</i>	PXXSQCAP4X4 PXXPYCAP4X4
		Flat 6" x 6" Post Sleeve Cap Pyramid 6" x 6" Post Sleeve Cap <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	PWTSQCAP6X6 PWTPYCAP6X6
		Also available with LED lighting. See page 56.	
2b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt <i>[4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]</i>	PXXSKIRT4X4
		6" x 6" Post Sleeve Skirt <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	PWTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4x4 composite post sleeve)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT36
		Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT42
		Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	CPJMNTPOST63
ACCESSORY	Foot Block	Adjustable Foot Blocks	XXFTBLKPC

XX = COLOR PREFIX: WT Classic White, GP Gravel Path, RS Rope Swing, TH Tree House, VL Vintage Lantern, FP Fire Pit, BK Charcoal Black


Trex® Signature™ Aluminum Railing

● Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1+2	Aluminum Post with Cap & Skirt	2.5" x 2.5" x 37" Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions]</i>	XXAL252537RCAP
	Aluminum Crossover Post	2.5" x 2.5" x 43" Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]</i>	XXAL252543RCAP
		2.5" x 2.5" x 53" Post—Stair (IRC Compliant) <i>[2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions]</i>	XXAL252553RCAP
		2.5" x 2.5" x 36" Crossover Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions]</i>	XXAL252536RCCP
		2.5" x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions]</i>	XXAL252542RCCP
	IRC Surface Mount Hardware	Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts</i>	ALPOSTHWDECK
		Concrete Post Mount Kit	ALPOSTHWCONC
	Aluminum Joist Mount Post with Cap & Skirt	2.5" x 2.5" x 63" <i>[2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]</i>	XXJMNTPOST63
	Trex® Signature™ Fascia Mount Kit <i>(for use with wood framing)</i>	For use with Joist Mount Trex® Signature™ Railing Post only.	XXFMNTWOOD

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit <i>(includes Top Rail, Bottom Rail, Balusters, Mounting & Support Hardware)</i>		Rail & Rod Kit <i>(includes Top Rail, Bottom Rail, Rods, Mounting & Support Hardware)</i>	
	6' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0636HRK	6' x 36" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0636HRK
	6' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636SRK	6' x 36" Black Frame & Platinum Rod Railing—Stair	BKPLROD0636SRK
	8' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0836HRK	8' x 36" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0836HRK
	8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0836SRK	8' x 36" Black Frame & Platinum Rod Railing—Stair	BKPLROD0836SRK
	6' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK	6' x 42" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0642HRK
	6' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642SRK	6' x 42" Black Frame & Platinum Rod Railing—Stair	BKPLROD0642SRK
	8' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0842HRK	8' x 42" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0842HRK
	8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842SRK	8' x 42" Black Frame & Platinum Rod Railing—Stair	BKPLROD0842SRK
	6' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0636HRK	6' x 36" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0636HRK
	6' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636SRK	6' x 36" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0636SRK
	8' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0836HRK	8' x 36" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0836HRK
	8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0836SRK	8' x 36" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0836SRK
	6' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0642HRK	6' x 42" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0642HRK
	6' x 42" Rail Kit w. Round Balusters—Stair	XXAR0642SRK	6' x 42" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0642SRK
	8' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0842HRK	8' x 42" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0842HRK
	8' x 42" Rail Kit w. Round Balusters—Stair	XXAR0842SRK	8' x 42" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0842SRK
	6' x 36" Assembled Panel (Square)—Horizontal*	BKAS0636HRPNL	6' x 36" Black Frame & Black Rod Railing—Horizontal	BKBKROD0636HRK
	8' x 36" Assembled Panel (Square)—Horizontal*	BKAS0836HRPNL	6' x 36" Black Frame & Black Rod Railing—Stair	BKBKROD0636SRK
	6' x 42" Assembled Panel (Square)—Horizontal*	BKAS0642HRPNL	8' x 36" Black Frame & Black Rod Railing—Horizontal	BKBKROD0836HRK
8' x 42" Assembled Panel (Square)—Horizontal*	BKAS0842HRPNL	8' x 36" Black Frame & Black Rod Railing—Stair	BKBKROD0836SRK	
*Does not include hardware				
Dimensions above are nominals. See below for actuals and metrics.				
<i>[6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions]</i>				
<i>[8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]</i>				
<i>[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]</i>				
<i>[8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]</i>				

ACCESSORY Trex® Signature™ Accessories

	Trex® Signature™ Bracket Templates		Cocktail Rail Bracket (10/pack)	XXCTBKAL10PK
	HZ Bracket Template	SIGTEMP4X4SLEEVE	Fixed Bracket—Horizontal (4/pack)	XXFHBKAL
	(36" and 42") - Composite Sleeve		Fixed Bracket—Stair (4/pack)	XXFSBKAL
	HZ Bracket Template	SIGTEMPIRCPOST	Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)	XXSWHBKAL
	(36" and 42") - 2.5" Aluminum Post		Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXSWSBKAL
			2.5" Horizontal Crossover Bracket (1/pack)	XX25FHCBKAL
			2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25RCSWSCBKAL
			Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCPDSWBKAL
			Aluminum Foot Block	XXALFTBLK
			Touch-up Pen	XXTOUCHUPEN

XX = COLOR PREFIX:

BK Charcoal Black

BZ Bronze

WT Classic White

Aluminum railing has a textured finish.

Trex Transcend® Railing

- **Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail & baluster kit (step 3). OR choose each component individually for a custom design (steps 4 & 5).**


STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
------	-----------	-------------	-------------

3a

Top & Bottom Rails

In this step, two rails (1 top, 1 bottom) must be selected.

3b



Crown

Universal

6' Crown Top Rail	XXCROWNTR06
8' Crown Top Rail	XXCROWNTR08
6' Universal Top/Bottom Rail	XXUNIVTBR06
8' Universal Top/Bottom Rail	XXUNIVTBR08

[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]

4

Balusters

See chart below for number of balusters needed to complete each railing section.



BALUSTER TYPE	PER 6' SECTION	PER 8' SECTION
Square (Horizontal application)	13	18
Square (Stair application)	11	15
Aluminum (Horizontal application)	15	20
Aluminum (Stair application)	12	16

Aluminum balusters are available in Charcoal Black, Classic White and Bronze only (BK, WT, BZ).

Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	XX020230SBK
Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	XX020236SBK
Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30RBK
Round Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36RBK
Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30SBK
Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36SBK

5

Accessory Infill Kit

- » 2 Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware

[6' Rail: 67.5 in (171 cm) actual length;
8' Rail: 91.5 in (232 cm) actual length]

6' Accessory Infill Kit for Square Balusters—Horizontal	XXSQHIK06
6' Accessory Infill Kit for Square Balusters—Stair	XXSQSIK06
8' Accessory Infill Kit for Square Balusters—Horizontal	XXSQHIK08
8' Accessory Infill Kit for Square Balusters—Stair	XXSQSIK08
6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06
6' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06
8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK08
8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK08
6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXASBHIK06
6' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBSIK06
8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXASBHIK08
8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBSIK08
6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06

ACCESSORY

Trex Transcend Accessories

All accessories include a quantity of 12 per box unless otherwise noted.

Trex Transcend Bracket Template

Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
Mounting Hardware for Cut Rails—Stair	XXSTACCYKIT
Transcend RSB Bracket Pack—Horizontal (24/box)	TSHBRACKET
Transcend RSB Bracket Pack—Stair (24/box)	TSSBRACKET
0 Degree Rail Gasket Pack—Horizontal	XX00HGASK
0 Degree Rail Gasket Pack—Stair	XX00SGASK
22.5 Degree Gasket Pack	XX22HGASK
45 Degree Birdsmouth Gasket Pack (for 4x4)	XX45RSBADAPK
45 Degree Gasket Pack (for 6x6)	WT45HGASK

HZ Bracket Template (36" and 42") - Composite Sleeve	TRANTEMP4X4SLEEVE
---	-------------------

XX = COLOR PREFIX:

WT Classic White
BK Charcoal Black

FP Fire Pit
GP Gravel Path

RS Rope Swing
TH Tree House

VL Vintage Lantern
BZ Bronze (aluminum only)


Trex Transcend® Railing

● Or simply choose a rail & baluster kit (3-step).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER	COLOR
3	Rail & Baluster Kit – Composite » Crown Top Rail » Universal Bottom Rail » Square Balusters » Baluster Spacers » Adjustable Foot Block » Mounting Hardware <i>[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]</i>	6' x 36" Rail & Baluster Kit—Horizontal with square composite balusters	XX0636HRK	WT, BK, VL
		6' x 36" Rail & Baluster Kit—Stair with square composite balusters	WT0636SRK	WT
		8' x 36" Rail & Baluster Kit—Horizontal with square composite balusters	XX0836HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Stair with square composite balusters	XX0836SRK	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal with square composite balusters	XX0642HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Horizontal with square composite balusters	XX0842HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Stair with square composite balusters	XX0842SRK	WT, BK, VL
		6' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0636HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0836HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0836SRK	WT, BK, VL
Rail & Baluster Kit—Aluminum » Crown Top Rail » Universal Bottom Rail » Round Aluminum Balusters » Baluster Spacers » Adjustable Foot Block » Mounting Hardware <i>[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]</i>	6' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0642HRK	WT, BK, VL	
	8' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0842HRK	WT, BK, VL	
	8' x 42" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0842SRK	WT, BK, VL	

Trex Select® Railing

● Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Classic White Rail & Aluminum Baluster Kit » Top Rail » Bottom Rail » Round Aluminum Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White with Charcoal Black Aluminum Balusters only.	6' x 36" Rail & Aluminum Baluster Kit—Horizontal	WTRD0636HSELK
		6' x 36" Rail & Aluminum Baluster Kit—Stair	WTRD0636SSELK
		8' x 36" Rail & Aluminum Baluster Kit—Horizontal	WTRD0836HSELK
		8' x 36" Rail & Aluminum Baluster Kit—Stair	WTRD0836SSELK
		6' x 42" Rail & Aluminum Baluster Kit—Horizontal	WTRD0642HSELK
		8' x 42" Rail & Aluminum Baluster Kit—Horizontal	WTRD0842HSELK
		8' x 42" Rail & Aluminum Baluster Kit—Stair	WTRD0842SSELK
ACCESSORY	Trex Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box)	BKENHZBKT
		Mounting Hardware for Cut Rails—Stair (10 kits/box)	BKENSTBKT
	Trex Select 8' Aluminum Rail Stiffener		SELALRAILSTIFFENER

XX = COLOR PREFIX:


WT Classic White

BK Charcoal Black

VL Vintage Lantern

Trex Aluminum Gates


COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening <i>[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]</i>	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts	BKGATEHW



Trex Aluminum ADA Compliant Handrail


All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com

COMPONENT	ITEM NUMBER
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8
Wall Return 90°	XXALADA90WR2G
Wall Mount	XXALADAWMNT2G
Corner Mount	XXALADAICORNER2G
Post Return ("Candy Cane")	XXALADA180CCANE
5° Elbow	XXALADA05ELB
31° Elbow	XXALADA31ELB
34° Elbow	XXALADA34ELB
36° Elbow	XXALADA36ELB
90° Inside/Outside Elbow	XXALADA90ELB2G
Straight 4 in (101 mm) Internal Connector	XXALINTCONN
Inline Rail Termination Adapter	XXALADAINLINE
Rail End Cap	XXALADACAP
Aluminum Collar	XXALADACLRL



Decking Accessories

TREX HIDEAWAY® HIDDEN FASTENING SYSTEM	DESCRIPTION	ITEM NUMBER
Connector Clip (stainless steel)	50 sq. ft (4.6 sq. m) box	CONNECTCLIP
Gun Pail	500 sq. ft (46.5 sq. m) bucket	CLIPPAIL
Universal Starter Clip	500 sq. ft (46.5 sq. m) bucket with collated pneumatic screws	GUNCLIP
Universal Fastener (glass-filled nylon)	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit	50 sq. ft (4.6 sq. m) box	UNIVCONCLIP
	500 sq. ft (46.5 sq. m) bucket	DA00002
	Router Bit	ROUTBIT



LIGHTING & DESCRIPTION

ITEM NUMBER

DECK LIGHTING

Pyramid or Flat Post Cap Light

- » 4" x 4" LED Post Cap Light
[4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions]

Use with Trex 4 in Composite Railing Posts

- » 5.5 ft (1.67 m) Male LightHub® Lead

Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light
[2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions]

Use with Trex 2.5 in Aluminum Railing Posts

- » 5.5 ft (1.67 m) Male LightHub Lead



PYRAMID CAPS

- BKPYLEDCAP4X4C
- WTPYLEDCAP4X4C
- FPPYLEDCAP4X4C
- THPYLEDCAP4X4C
- VLPYLEDCAP4X4C
- GPPYLEDCAP4X4C
- RSPYLEDCAP4X4C

FLAT CAPS

- BKSQLEDCAP4X4C
- WTSQLEDCAP4X4C
- FPSQLEDCAP4X4C
- THSQLEDCAP4X4C
- VLSQLEDCAP4X4C
- GPSQLEDCAP4X4C
- RSSQLEDCAP4X4C
- TEXTURED CHARCOAL BLACK: BKALCAPLED25
- TEXTURED BRONZE: BZALCAPLED25
- TEXTURED WHITE: WTALCAPLED25

Deck Rail Light

- » LED Deck Rail Light
[2.75 in (69 mm) OD]

- » 5.5 ft (1.67 m) Male LightHub Lead

Wedge Deck Rail Light

- » LED Wedge Deck Rail Light
[1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions]

Compatible with all Trex Railing Posts

- » 5.5 ft (1.67 m) Male LightHub Lead



- TEXTURED CHARCOAL BLACK: BKLAMPLEDC
- TEXTURED BRONZE: BZLAMPLEDC
- TEXTURED CLASSIC WHITE: WTLAMPLEDC

- TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED
- TEXTURED BRONZE: BZALPOSTLAMPLED
- TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

LED Riser Lights

- » 4 LED Riser Lights
[1.25 in (31 mm) OD]

- » 5.5 ft (1.67 m) Male LightHub Lead



- TEXTURED CHARCOAL BLACK: BKRISERLED4PKC
- TEXTURED BRONZE: BZRISERLED4PKC
- TEXTURED CLASSIC WHITE: WTRISERLED4PKC

Recessed Deck Lights

- » 4 LED Recessed Lights
[1 in (25 mm) OD]

- » 5.5 ft (1.67 m) Male LightHub Lead



- RECESSLED4PKC

ACCESSORIES

Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub Wire Extension Cable



- 8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC
- 2.5A, 30W: 25DLTRANSFORMER

Multi-zone Transformer Adapter



- DL5TFSPPLIT1PK

Motion Controller and Dimmer

- » 1 Remote
- » 1 Motion Sensor
- » 2 AAA Batteries
- » 2 Screws
- » 5 ft. Male/Male Wire Extension Cable



- BKDLMOTION
- WTDLMOTION

Dimmer

- » Single Channel with Remote



- DLDIMMER

1 in (25 mm) Forstner Bit—Pack of 6



- DLBIT6PK

LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



- DL3SPLIT6PK
- DL6SPLIT4PK
- DL5FTWR4PK
- DL10FTWR4PK
- DL20FTWR4PK
- DL40FTWR2PK
- DL60FTWR1PK
- DLFADAP6PK